

ITF Rare Diseases Denmark

Accessibility remediation findings

Date: 6 May 2026

Scope: Danish HCP website pages reviewed during the audit

Summary of findings

Prioritized technical findings prepared for remediation planning

ID	Area	Finding	Severity
DK-001	Global	Inline links are not sufficiently distinguishable	Medium
DK-002	Duvezat pages	Product image missing descriptive alt text	Medium / Needs decision
DK-003	DMD page	“Se video” control may have insufficient contrast	Medium
DK-004	DMD page	Slider arrows missing accessible names	Medium
DK-005	Clinical images	Dosing table image needs text alternative	High
DK-006	Global CTA cards	Keyboard focus indicator is too subtle	Medium
DK-007	Scientific updates	Heading hierarchy should be reviewed	Medium
DK-008	Mobile menu	Off-canvas controls may lack accessible names	Medium / Needs verification

GLOBAL | Inline links are not sufficiently distinguishable

Affected area: Inline text links across Danish Duvyzat pages

▼ Dette lægemiddel er underlagt supplerende overvågning. Dermed kan nye sikkerhedsoplysninger hurtigt tilvejebringes. Sundhedspersoner anmodes om at indberette alle formodede bivirkninger til [Lægemiddelstyrelsen](#).

Severity: Medium

ISSUE

Some inline links are not sufficiently distinguishable from surrounding paragraph text.

WHY THIS MATTERS

Users with low vision or color vision deficiencies may not identify links if they rely only on subtle color differences.

RECOMMENDED FIX

Review all inline links in paragraph text across the Danish site. Ensure links are visually distinguishable using underline, sufficient contrast and clear hover/focus states.

DUVYZAT PAGES | Product image – missing descriptive alt text

Affected area: Danish Duvyzat product information section

Hvad er Duvyzat®?

- Duvyzat® er en oral behandling, der hjælper ambulante patienter med Duchennes muskeldystrofi (DMD) med at understøtte muskelfunktion og forsinke sygdomsprogression¹⁻⁶.
- Duvyzat® er en flydende suspension, der leveres i en flaske og skal indgives to gange dagligt ud fra en vægtbaseret dosis ved hjælp af en gradueret sprøjte⁷.

Hvem er Duvyzat® beregnet til?

- Duvyzat® er indiceret til behandling af DMD hos ambulante patienter, der er 6 år eller ældre, og som samtidig behandles med kortikosteroider⁷.
- Duvyzat® er en behandling, der er uafhængig af mutationer i DMD-genet^{2,7}.



Severity: Medium / Needs decision

ISSUE

The product image has empty alt text. Empty alt text tells screen readers to ignore the image.

WHY THIS MATTERS

This is correct for decorative images, but this image may provide useful product context because it shows the medication form, packaging and dosing syringe.


RECOMMENDED FIX

Confirm whether the image is decorative or informative. If informative, add short descriptive alt text. If all relevant information is already in nearby text, empty alt text may be acceptable.

alt="Duvyzat oral suspension with bottle, packaging and dosing syringe"

DMD PAGES | Slider arrows – missing accessible names

Area: DMD pages and video/slider modules



Severity: Medium

ISSUE

The slider navigation arrows are implemented as icon-only links. The link contains only an SVG icon and no visible text or accessible name.

WHY THIS MATTERS

Screen reader users may only hear “link” with no description. Users navigating by links or buttons cannot understand whether the control moves to the next or previous slide.


RECOMMENDED FIX

Add a clear accessible name to each slider control and hide decorative SVG icons from assistive technologies.

```
<a class="elementor-button" href="#next-slide" aria-label="Next slide">  
  <svg aria-hidden="true" focusable="false">...</svg>  
</a>
```

DMD PAGES | “Se video” control – insufficient contrast

Area: DMD video/slider module



Severity: Medium

ISSUE

The foreground and background colors for the “Se video” control do not provide sufficient contrast. The issue is visible on the video hero/slider area.

WHY THIS MATTERS

Low contrast text can be difficult or impossible to read for users with low vision, color vision deficiencies, or users viewing the page in poor lighting conditions.

RECOMMENDED FIX

Increase the contrast between the “Se video” text/control and its background. Use a darker or lighter color combination that meets WCAG AA contrast requirements. For normal text, target at least 4.5:1. For large text or non-text UI components, target at least 3:1.

```
.video-button {
  color: #ffffff;
  border-color: #ffffff;
  background-color: rgba(26, 0, 81, 0.85);
}
```

GLOBAL | Focus indicator – low visibility on CTA cards


Area: CTA cards and link cards across the site



ISSUE

The CTA cards do have a visible keyboard focus indicator, but the blue outline is subtle and may be hard to notice.

Severity: Medium



Severity: Medium



WHY THIS MATTERS

Keyboard users rely on the focus indicator to understand where they are on the page. If it is too subtle, users may lose track of their position.

RECOMMENDED FIX

Make the focus indicator more visually prominent across all CTA/link card components. Use a thicker outline, strong contrast color and outline offset. Recommended color #ED6F2F.

DUVYZAT PAGES | Clinical tables in images need text alternatives

Affected area: Danish Duvyzat dosing / dose adjustment sections

ISSUE

Images that contain clinical information should be reviewed to confirm whether they have appropriate alt text or an equivalent text alternative.

WHY THIS MATTERS

Clinical and dosing information is critical content. Users who cannot see the image need access to the same information in text or structured HTML. A short alt text is not sufficient for complex tables.

RECOMMENDED FIX

Review all clinical images and classify them as decorative or informative. For informative clinical images, provide the same information as real HTML text/table. Use semantic table markup where possible.

```

<table>...</table>
```


Dosisændringer på grund af bivirkninger:

Faktisk kropsvægt ^(a)	Første dosisændring ^(b)		Anden dosisændring ^(c)	
	Dosering	Volumen af oral suspension	Dosering	Volumen af oral suspension
15 kg til under 20 kg	17,7 mg to gange dagligt	2 ml to gange dagligt	13,3 mg to gange dagligt	1,5 ml to gange dagligt
20 kg til under 40 kg	22,2 mg to gange dagligt	2,5 ml to gange dagligt	17,7 mg to gange dagligt	2 ml to gange dagligt
40 kg til under 60 kg	31 mg to gange dagligt	3,5 ml to gange dagligt	26,6 mg to gange dagligt	3 ml to gange dagligt
60 kg og derover	39,9 mg to gange dagligt	4,5 ml to gange dagligt	35,4 mg to gange dagligt	4 ml to gange dagligt

Severity: High

SCIENTIFIC UPDATES | Heading hierarchy should be reviewed

Area: Scientific updates page



Severity: Medium

ISSUE

The page title should be the only h1. Main sections that sit directly under the page title should normally use h2. Card/video titles can use h3 if they are grouped under a clear h2 section, but h3/h4 should not be used just for visual styling or skipped without a parent heading.

WHY THIS MATTERS

Screen reader users often navigate by headings. If heading levels are skipped or used for styling rather than structure, the page outline becomes harder to understand.


RECOMMENDED FIX

Review the page outline and update heading levels to match the content hierarchy. Keep the visual styling separate from the semantic heading level.

```
<h1>Vitenskapelige oppdateringer</h1>
<h2>Velg innhold</h2>
<h3>From clinical trials to clinical practice</h3>
```

MOBILE MENU | Off-canvas controls may lack accessible names

Affected area: Elementor mobile/off-canvas menu controls



Severity: Medium / Needs verification

ISSUE

If the off-canvas menu open/close controls are focusable and do not have visible text or an aria-label, their purpose may not be exposed to assistive technologies.

WHY THIS MATTERS

Screen reader and keyboard users need clear names for menu controls so they can open and close navigation reliably.

RECOMMENDED FIX

Verify the mobile menu controls. Add accessible names such as “Open menu” and “Close menu” if the controls are exposed as links/buttons.

```
<button aria-label="Open menu">...</button>
<button aria-label="Close menu">...</button>
```